addons presta

Promo Landing Page

USER MANUAL · Version 2.0.1 · PrestaShop 1.7.8 – 9.x

1. What this module does

One page for your sale event: your own content, product lists, discount codes and free gifts.

The page has its own address in every language and keeps it from one sale to the next. At the top, a banner shows the name of your sale and a countdown: before the sale it counts down to the start and invites customers to add the date to their calendar, during the sale it counts down to the end, and afterwards it thanks them. Below the banner you build the page from blocks, in the order you choose: a text with images or a video, a few chosen products, the products of a category, your discount codes and free gifts, category tiles. At the bottom, the page can list every product a customer can buy at a reduced price, with the biggest discounts at the top.

Each block appears before, during or after the sale, or only between its own dates, so the page can change by itself on the day the sale starts, show a different offer every day and say thank you when it is over.

A banner on the home page and a link in the header lead customers to the page during the sale and a few days before.

The discounts are the ones you already set in PrestaShop — specific prices, catalog price rules and cart rules — so the page is always up to date: change a price, end a promotion, disable a code, and the page follows. The event name is yours too — Black Friday, Cyber Monday, Christmas sale or summer sale — and without dates the page is on all year round.

Works with **PrestaShop 1.7.8, 8.x and 9.x** (PHP 7.2.5 or newer), with the Classic and Hummingbird themes and with multistore.

2. Installation

1. Download the module from **My account → Order history** at addonspresta.com.
2. In your Back Office, open **Modules → Module Manager** and click **Upload a module**.
3. Drop the `ap_blackfriday_v2.0.0.zip` file and wait for the confirmation.
4. Click **Configure** on the module card.

Right after installation the page is online at `/promo` in every language of the shop (for example `yourshop.com/pl/promo`), named "Special offers", without dates and without blocks, with your current discounts. Change the name, the address and the texts to those of your sale in the settings.

Already using version 1.x (sold as "Black Friday Deals Page")? Upload the new file in the same way: your page, its address and your settings stay as they are. See "Updates and support" at the end of this manual.

3. How it works

The page from top to bottom. The banner with the event name, the countdown and your text; a line of links to the blocks (when at least two blocks have a title); your blocks in their order; the list of all discounted products, unless you switch it off. Sorting and moving through the pages of that list change only the list: the banner and the blocks stay as they are.

Create the discounts in PrestaShop. The quickest way for a sale on the whole shop is a catalog price rule: open **Catalog → Discounts → Catalog price rules**, click **Add new catalog price rule**, enter a name, the reduction (for example 20 %), the dates "From" and "To" of your sale, and save. You can add conditions (a category, a brand) to discount only part of the catalog, or set a specific price on single products in **Catalog → Products**, on the product's **Pricing** tab. Every reduction with an old price crossed out appears in the list of discounted products and can be used by the product blocks and the category tiles.

Create the discount codes and gifts as cart rules. The module shows cart rules; it never creates them. Open **Catalog → Discounts → Cart rules** and click **Add new cart rule**:

- on the **Information** tab, the **Name** is what customers read on the card and in their cart; the **Code** is what they type in the cart — leave it empty for an offer that applies by itself to every cart that meets the conditions (the page then shows "Applied automatically in the cart"); the **Priority** also sets the order of the cards on the page;
- on the **Conditions** tab, **Valid** gives the dates of the code, **Minimum amount** the order amount it needs, **Total available** how many times it can be used in all; under **Restrictions** you can keep it for chosen customer groups or chosen products;
- on the **Actions** tab, choose **Free shipping**, **Apply a discount** (a percentage or an amount, on the order or on a specific product) and/or **Send a free gift** (a product added to the cart for free).

Then add a block of the type **Discount codes and gifts** on the page and choose the rule.

Set the dates of the event in the module. They control what the banner, the blocks and the list show:

- **Before the start** — the banner counts down to the start ("Starts in 3 d 04:12:09") with your text and an **Add to calendar** button; the blocks shown before the event; no list of products, or your current discounts if you choose so.
- **During the event** — the banner counts down to the end; the blocks shown during the event; the list of deals.
- **After the end** — the banner shows your closing text; the blocks shown after the event; no list (or still the current discounts if you choose so). The home banner and the header link disappear.

A page without dates is always "during the event". When a countdown reaches zero, or when a block reaches its own start or end, while a customer is on the page, the page reloads by itself (within a few

seconds) and shows what comes next. On the home page, the banner switches from "Starts in" to "Ends in" without reloading. Dates are entered in the shop time zone (**International → Localization**).

When a block appears. Every block has three switches — **Shown before the event**, **Shown during the event**, **Shown after the event** — and two optional dates, **Only from** and **Only until**. A block is on the page when the switch of the current phase is on and the moment is between its dates. A block that is not shown is not in the page at all, not even hidden in its source code, so customers cannot find a code before its time.

Example: a different offer every day of a week. Your event runs from 2026-11-23 00:00 to 2026-11-29 23:59. Add these blocks:

1. A **Content** block "Black Week starts on Monday" with **Shown before the event** only: a teaser before the start.
2. A **Discount codes and gifts** block "Monday: −20% on everything" with the cart rule `MONDAY20`, **Shown during the event**, **Only from** 2026-11-23 00:00, **Only until** 2026-11-23 and **Countdown to "Only until"** on.
3. A **Products** block "Tuesday: deals of the day" with the product IDs of the day, **Shown during the event**, **Only from** 2026-11-24 00:00, **Only until** 2026-11-24.
4. A **Discount codes and gifts** block "Wednesday: a free gift from 50 €" with a cart rule without a code that sends a free gift, dated 2026-11-25 in the same way, and so on for every day of the week.
5. A **Products** block "Our best sellers" with **Shown during the event** and no dates: it stays all week.
6. A **Content** block "Thank you!" with **Shown after the event** only.

At midnight an open page reloads and shows the block of the new day; a date without time in **Only until** means the end of that day. If the event has no dates, the page is always "during the event" and the day blocks follow only their own dates. Hiding a block does not disable its code: give each cart rule the same dates in its **Valid** condition, otherwise a customer who knows the code can still use it in the cart.

Which products are listed. The list of discounted products and the product blocks show each product the way the customer sees it — their customer group, country, currency and tax display — so a discount reserved for registered customers counts only for them. A visitor from a country that is not active in your shop sees the prices of the shop's default country. A product counts as discounted when it is active, visible in the catalog, shows its price, sits in a category the customer may see, and its default combination is reduced for one unit. Quantity discounts (from 2 units) and reductions on another combination only do not count, because the product would show no old price; prices reserved for one single customer do not count either.

To stay fast on a busy day, the module computes the list and the products of the product blocks once for each kind of visitor (customer group, country, currency, language) and keeps them for up to 3 minutes. A price you change therefore appears on the page within 3 minutes — at once if you clear the cache in **Advanced Parameters → Performance** or save the module settings or a block. The list compares at most 5000 discounted products. Cart rules are read fresh on every visit.

The list looks like a category of your theme: the same product boxes, discount labels, sort list and pages. The products are sorted by the biggest discount first; customers can also sort by "Ending soon", by price and by name. Product blocks use the same product boxes, without sort list or pages.

Hidden prices, catalog mode and cart rules off. Discount code blocks need prices and an order, so they are not shown when prices are hidden (catalog mode without prices, or a customer group that does not see prices), in catalog mode (also when it shows prices), or when cart rules are off. PrestaShop turns cart rules off by itself when the shop has no enabled cart rule, and on again as soon as one is enabled. When prices are really hidden, the list of products is not shown, product blocks show their products without "Only discounted products", and category tiles show no discount. In catalog mode with prices shown, the list, "Only discounted products" and the discounts on the tiles keep working: only the discount code blocks are hidden. The Status box tells you which case applies.

The module does not create or change prices or cart rules, does not change PrestaShop tables and does not connect to addonspresta.com or any other server. Only what you paste into a content block (a video, a form, a script) loads from where it comes from.

4. Features and settings

Open **Modules** → **Module Manager** → **Promo Landing Page** → **Configure**. The Help box at the top links to this manual and to the module page at addonspresta.com, in the language of your Back Office. Below it come the Status box, the settings form in three panels and the list of blocks.

Status

The box above the settings tells you the state of the event (always on, before the event, live or ended, with the time left) and how many products a customer who is not logged in sees in the list of discounted products right now, with the biggest discount ("The list of all discounted products is switched off." when you switched the list off). When you have blocks, it adds how many of them the page prints now ("Blocks on the page now: 3 of 5 enabled") and when the page changes next. Only the blocks customers really see are counted: a block of another phase or outside its own dates is not, and neither is a product block that finds no product or a discount code block that has nothing to show (codes cannot be used in the shop right now, or none of its cart rules is usable).

It warns you when:

- no product is discounted during the event, so the list is empty (only when the list is on);
- prices are hidden in your shop (catalog mode without prices, or a customer group that does not see prices): the discount code blocks are hidden, and "Only discounted products" and the discounts on category tiles are ignored;
- your shop is in catalog mode with prices shown, so the discount code blocks are hidden (the rest of the page works as usual);
- the event is over;
- none of your blocks is shown right now — check the "Shown" column of the list;
- cart rules are off, so the discount code blocks are hidden;

- a block has cart rules that shoppers cannot use right now (disabled, expired, not yet valid, used up or deleted) — they are hidden on the page;
- a product block lists product IDs that are missing or disabled in the shop — they are skipped;
- a product block shown now finds no product, so it is not on the page.

Use **View the page** to open the page in a new tab, and the **Catalog price rules** and **Cart rules** links to create discounts.

Event

- **Event name** — the title of the banner and of the header link, for example "Black Friday" ("Special offers" by default). Required in the default language.
- **Start** and **End** — the moments of your sale, for example 2026-11-27 00:00 and 2026-11-30 23:59. A date without time as the end means the end of that day. Leave both empty for a page that is always on.
- **Text before the start** — shown with the countdown to the start; by default "Our offers start soon. Save the date!"
- **Text during the event** — shown under the countdown to the end; by default "All our current offers on one page.", or for example "Save up to {max_discount}, with the biggest discounts at the top."
- **Text after the event** — shown once the sale is over; by default "These offers have ended. Thank you, and see you next time!"

Three placeholders work in every text: `{max_discount}` is replaced by the biggest discount on the page for that customer (for example 50%), `{start_date}` and `{end_date}` by the dates of the event. When a text uses a placeholder that has no value (no deals yet, no dates), the text is not shown rather than showing a broken sentence. HTML tags are removed from all texts; line breaks are kept.

Page

- **Page address** — the end of the page address in each language: `promo` by default, or for example `black-friday` for a sale that comes back every year. Lowercase letters, digits and hyphens, starting with a letter. An address already used by another page of the shop is refused. The same page can be found in **Shop Parameters → Traffic & SEO**.
- **Page title (meta title)** and **Meta description** — what the browser tab and search results show; by default "Special offers" and "Our current offers, discount codes and gifts on one page."
- **Links to the blocks above the content** — a line of links made of the block titles, so customers jump straight to the codes or to a product list. It appears when at least two blocks on the page have a title (on by default).
- **"Use in cart" button on discount codes** — adds the **Use in cart** button to the codes (on by default). See "Block: Discount codes and gifts" below.
- **Show "Only N left" at or below** — a code whose **Total available** in the cart rule is at or below this number shows "Only 12 left" on its card, for example 50 (the default). 0 never shows it.

- **List of all discounted products** — after the blocks, every product the customer gets at a reduced price, biggest discount first, with sorting and pages (on by default). Switch it off for a page made of blocks only. The settings below choose what the list shows; when the list is off they still decide the `{max_discount}` value.
- **Minimum discount** — only products reduced by at least this percentage, for example 10. 0 lists every reduced product.
- **Only these categories** — tick categories to list only their products and those of their subcategories. Tick nothing for the whole catalog.
- **Hide products that cannot be ordered** — leaves out products that are not available for order and out of stock products that do not accept orders (on by default).
- **Before the event, show** — the banner only, or the banner and the current discounts. Blocks shown before the event appear in both cases.
- **After the event, show** — the banner only (with the text after the event), or the banner and the current discounts. Blocks shown after the event appear in both cases.
- **Maximum number of products** — from 20 to 1000 (300 by default); the biggest discounts are kept.

Customers choose how many products they see per page and the shop's own setting applies, as in categories.

Promotion in the shop

- **Banner on the home page** — the event name, the countdown, the home banner text and a button to the page. On installation the banner is placed first on the home page; you can move it in **Design** → **Positions** (hook `displayHome`).
- **Show the banner and the link before the start** — how many days before the start the home banner and the header link appear, for example 7. 0 shows them only from the start. Both disappear at the end of the event.
- **Home banner text** — shown during the event; by default "All our current offers on one page.", or for example "Up to {max_discount} off." Before the start the banner shows the text before the start.
- **Button label** — "See the offers" by default. Required in the default language.
- **Link in the header** — the event name as a link to the page at the top of every page.
- **Banner background colour** and **Banner text colour** — hex colours such as `#111111` and `#ffffff`. The page warns you when the two colours are hard to read together.
- **Accent colour** — the colour of the countdown, the buttons and the header link, for example `#ff0069`. Leave it empty to keep the colours of your theme. Button text is black or white, whichever reads better on the accent. On the page it also colours the discounts, the codes, the block countdowns and the "Up to −N%" labels; left empty, these take your theme's danger colour (red in most themes).

Blocks

The **Blocks** list under the settings shows every block in its page order: **Position** (with **Move up** and **Move down**), **Type**, **Title** (or the first words of the content), **Shown** (the phases, the own dates, and "scheduled" or "expired" when the dates are in the future or over), **Status** (click to enable or disable), **Edit** and **Delete**. Click **Add a block** to create one; a page can have up to 50 blocks, the blocks of the shop and the blocks for all shops counted together. **Back to the list** leaves the block form without saving.

The blocks of one page show at most 200 product boxes in all — the products of the product blocks, the gifts and the products a code is for, in the order of the page; what does not fit is left out. The list of all discounted products, with its own pages, does not count.

Every block has these fields:

- **Block type** — Content, Products, Discount codes and gifts, Category tiles or Hook for other modules. It cannot be changed once the block is saved.
- **Title** — the heading of the block and its link above the content. Leave it empty for a block without a heading (and without a link).
- **Shown before the event**, **Shown during the event**, **Shown after the event** — at least one must be on. A page without event dates is always "during the event".
- **Only from** and **Only until** — optional dates in the shop time zone, for example 2026-11-25 00:00. A date without time in **Only until** means the end of that day. Before and after these dates the block is not on the page at all.
- **Countdown to "Only until"** — prints "Ends in 05:14:33" under the title. It needs **Only until**.
- **Enabled** — a disabled block is never shown.

The products, discount code and category tile blocks also have a **Text under the title**: optional plain text, for example the conditions of a code (up to 1000 characters, line breaks kept).

Block: Content

- **Content** — the editor of PrestaShop, for your text, images, links, a video or any HTML. Required in the default language; a language left empty shows the content of the default language.

The content is published exactly as entered, scripts and iframes included. This lets you paste a video player, a form or a code from another service, but such code runs in your customers' browsers on your shop's own address. The same content is also loaded unfiltered into the editor of every employee who opens the block in the Back Office. So an employee who may configure this module can, on purpose or by pasting a bad code, run a script in the session of another employee who edits that block — a super admin, or in multistore the manager of other shops — and on your storefront. **Treat the Configure permission of this module like super administrator access:** in **Advanced Parameters → Team → Permissions**, on the **Modules** tab, tick **Configure** for this module only for profiles you trust with the whole shop. Paste only code from a source you know. If you add a tracking or advertising script, asking for the visitors' consent where the law requires it (for example through your cookie banner) is your responsibility.

Block: Products

- **Products** — **The products listed below** (the IDs you type) or **The products of a category**.
- **Product IDs** — IDs from **Catalog → Products** separated by commas, for example 12, 7, 31 — up to 48, shown in this order. An ID that is missing or disabled in the shop is skipped and the Status box names the block.
- **Category** — with **The products of a category**: its products and those of its subcategories, followed by a "See all products" link to the category.
- **Only discounted products** — leaves out products without a reduction for the customer (on by default).
- **Hide products that cannot be ordered** — as in the list of deals (on by default).
- **Sort order** — **Biggest discount first** (default), **Lowest price first**, or **As listed / category position** (the order of your IDs, or the position of the products in the category).
- **Number of products** — from 1 to 48 (8 by default).

The products appear in the product boxes of your theme. For a large category sorted by discount or price without "Only discounted products", the first 200 products of the category (by their position) are compared.

Block: Discount codes and gifts

- **Cart rules** — choose up to 20 cart rules; hold Ctrl (Cmd on a Mac) to select several. Each line shows the name and the code, "no code, applied automatically" for a rule without a code, and "disabled" for a rule that is switched off. Rules limited to a single customer and rules that cannot be used in this shop are not in the list.
- **Show the products a code is for** — lists, under the card, the products or categories the rule is for (on by default; see below).

Each rule becomes a card with:

- what it gives: "−20%", "−10.00 €", "Free shipping", "Free gift: ", joined when the rule gives several;
- the name of the rule;
- for a gift, the picture of the product with the label "Free gift", linked to the product page; a gift product the customer cannot see (disabled or hidden from the catalog) is neither shown nor named on the card;
- the code with a **Copy code** button, or "Applied automatically in the cart" for a rule without a code;
- the conditions read from the rule: "Orders from 50.00 €" (its minimum amount), "Valid until " (the end of its validity), "Only 12 left" (see **Show "Only N left" at or below**);
- the **Use in cart** button.

Which rules are hidden. A card disappears on its own while its rule is disabled, before or after its **Valid** dates, or used up (**Total available** at 0), and for a customer outside the customer groups the rule is restricted to. The Status box names the blocks with such rules. The country and carrier restrictions of a rule are not checked, because they are unknown before the checkout: if a code works only in some countries or with some carriers, say so in the **Text under the title**. The cards are

ordered by the priority of the rules. The **Title** and the **Text under the title** are the description of the codes in the block: a code that needs its own wording gets its own block.

Copy code copies the code to the clipboard and shows "Copied!" for a moment. On a shop without HTTPS the browser may refuse; the code is then selected so the customer can copy it by hand.

Use in cart applies the code in the customer's cart in one click: it sends the same request as the voucher field of the cart, and the cart page opens with the code applied, or with PrestaShop's own message when the cart does not meet a condition (minimum amount, products, customer group). It appears only when the customer's cart already has products, because PrestaShop does not accept a code on an empty cart; **Copy code** is always there. Switch it off with **"Use in cart" button on discount codes** in the Page panel.

The products a code is for ("This offer is for:") are shown when the rule says it simply: a discount on a **Specific product** shows that product; a **Product selection** made of one group with one rule of products shows up to 8 of them in your theme's product boxes; one rule of categories shows up to 8 links to the categories. Other restrictions (several groups, attributes, brands, suppliers) show nothing: describe them in the text.

Block: Category tiles

- **Categories** — tick up to 24 categories. Each one becomes a tile with its image and its name, linked to the category. A category without an image shows its name only; a disabled category, or one the customer's group may not see, is skipped.
- **Show the biggest discount on each tile** — adds "Up to −30%": the biggest discount among the products of the category and its subcategories that the customer can order at a reduced price (on by default). Nothing is shown for a category without discounts, or when prices are hidden.

Block: Hook for other modules

This block prints what other modules attach to the hook `displayApBlackfridayBlock`, under the block's title — for example a newsletter form or a contest of another module that supports it. Attach a module in **Design → Positions**. When no module prints anything, the block is not shown.

5. Multistore

The settings are saved for the shop or shop group selected in the Back Office header. Select **All shops** to use the same event everywhere, or a single shop to give it its own dates, texts, address and colours.

A block belongs to one shop or to all shops. With one shop selected in the header, the list shows the blocks of that shop together with the blocks for all shops, and a new block is for that shop. With **All shops** or a shop group selected, the list shows the blocks of every selected shop, and a new block is for all shops. The page of a shop shows its own blocks and the blocks for all shops, in one order: moving a block up or down swaps it with its neighbour in the list you see.

An employee who does not manage every shop works only on the blocks of his shops: he does not see the blocks for all shops and cannot add them, and he can save the settings only for shops he

manages.

The discounts and cart rules are those of each shop, as set in PrestaShop. One licence covers every shop of the installation.

6. Uninstall

Module Manager → Promo Landing Page → Uninstall removes the module's settings, all the blocks, the page and the module's cache files and folders. Your prices and cart rules are not touched. To keep the settings and the blocks for the next sale, use **Disable** instead.

7. FAQ and troubleshooting

The list of discounted products is empty. Look at the Status box: it says how many products a customer who is not logged in sees. If there are none, check that your catalog price rule or specific price is active now (dates "From" and "To"), applies to all customers, countries and currencies (or to the ones you test with), starts from 1 unit, and that the product shows an old price crossed out. Then check the minimum discount and the chosen categories.

A product is reduced but not listed. It may be out of stock with orders refused (switch off **Hide products that cannot be ordered** to list it), its reduction may apply only to a combination other than the default one, or only from 2 units, or the product may be hidden from the catalog. A price set for one single customer is not listed either.

I changed a price but the page still shows the old one. The page keeps its products for up to 3 minutes. Wait a moment, or clear the cache in **Advanced Parameters → Performance**.

Customers see different products than I do. The page is built for each customer group, country and currency: a reduction for one of them is listed only for those customers. Log out to see the page as a new visitor.

A block does not appear. Check the **Shown** column of the list: the switch of the current phase must be on and the moment must be between **Only from** and **Only until**. A products block that finds no product, a discount code block whose rules cannot be used right now and a hook block that no module fills are left out; the Status box names them.

The discount code block has disappeared. Its cart rules may be disabled, outside their dates or used up, or the customer is not in the customer group of the rule. The whole block is hidden when prices are hidden, in catalog mode (with or without prices), or when PrestaShop has turned cart rules off because no cart rule is enabled. The Status box says which case applies.

The Use in cart button is missing. It is shown only when the customer's cart already has products, only for codes (not for rules applied automatically), and only when **"Use in cart" button on discount codes** is on. The **Copy code** button is always there.

A customer used a code before its day. Hiding a block does not disable the code. Give the cart rule the same dates in its **Valid** condition as the block in **Only from** and **Only until**.

Can I make a page with blocks only, without the list of products? Yes: switch off **List of all discounted products** in the Page panel.

The page shows the wrong state or time. Dates are read in the shop time zone from **International → Localization**. Check the time zone and the dates in the Event section and in the blocks.

My theme has its own templates of the page and the blocks do not appear. A theme that changed the templates `front/deals.tpl` or `front/event.tpl` of the module must print the blocks right after the banner. Ask the person who made the theme to add the line `{include file='module:ap_blackfriday/views/templates/front/blocks.tpl'}`, described in the README.md file of the module.

Where do I find the address of the page for my newsletter? Click **View the page** in the Status box; the address stays the same for every sale. To send customers straight to a block, open the page, click the block's title in the line of links and copy the address from the browser bar.

Can I add the page to the main menu? Yes: in **Modules → Module Manager → Main menu → Configure**, add a custom link with the address of the page.

After the update the countdown, the Copy code button or the look of the blocks do not work. The shop still serves the old combined script or styles. Click **Clear cache** in **Advanced Parameters → Performance** once (see "Updates and support").

Who should be allowed to configure this module? Only people you trust with the whole shop. The content of a block is published as entered and opened unfiltered in the editor of whoever edits the block, so a script pasted by one employee runs in the Back Office session of the next one and on your storefront. Grant the module's **Configure** permission in **Advanced Parameters → Team → Permissions** (**Modules** tab) as you would grant super administrator access.

My shop uses a full-page cache (a cache module, Varnish, a CDN that caches HTML). The discount codes on the page depend on the visitor's customer group, and the **Use in cart** button on the visitor's cart. Set the cache to keep a separate copy of the page per customer group and to skip visitors with a cart, or exclude the page's address from the cache; otherwise visitors may see the codes or buttons meant for someone else.

Can I change how the page looks? Yes. Use the colour settings, add CSS for the `.ap-blackfriday` classes to your theme, or replace single sections of the templates from your theme: each template has `{block}` sections, so your copy in `themes/<your-theme>/modules/ap_blackfriday/views/templates/` holds only the sections you change and the rest follows the module's updates (README.md, "Customising").

8. Updates and support

Updates are free for life: download new versions from **My account → Order history** at addonspresta.com and upload them like a new module. Your settings and blocks are kept.

Updating from version 1.x. Version 2.0.0 is a free update of "Black Friday Deals Page": upload it like any new version. Nothing changes on your page until you add a block — the address, the texts, the

dates, the colours and the list of discounted products stay as they were, and the new settings start with values that keep the page as before (list on, links to the blocks on, "Use in cart" on, "Only N left" at 50). The neutral default texts of version 2.0.0 ("Special offers", `/promo`) are only for new installations: your own name, address and texts are kept. If your theme has its own copy of the templates of the page, read the question about it in the FAQ.

After the update. With **Smart cache for CSS** and **Smart cache for JavaScript** (CCC) on in **Advanced Parameters → Performance**, PrestaShop names its combined files after the list of files, not their content, so a shop could keep serving the old script and styles. The update to 2.0.0 therefore rebuilds the combined CSS and JavaScript of the current theme by itself, and normally there is nothing to do. If after the update the countdown, the **Copy code** button or the look of the blocks do not work as described here — typically in a multistore whose shops use different themes, or behind a CDN or browser cache — click **Clear cache** in **Advanced Parameters → Performance** once.

Support is included for 12 months from your order: write to **mail@addonspresta.com** or use the contact form at addonspresta.com (Monday to Friday, 10:00–16:00 CET; we usually answer within 2 business days). Please include your PrestaShop version, the module version and the steps that lead to the problem.